

L 25977-66 EWT(1)/T WR

ACC NR: AP6011918

SOURCE CODE: UR/0141/66/009/002/0336/0340

AUTHOR: Naymushin, M. P.

ORG: Ural Polytechnic Institute (Ural'skiy politekhnicheskiy institut)

TITLE: Enhancing the radiation of a slot in a cylinder in the shadow zone

SOURCE: IVUZ. Radiofizika, v. 9, no. 2, 1966, 336-340 ^{25B}

TOPIC TAGS: antenna, slot antenna

ABSTRACT: In the slot-in-the-cylinder omnidirectional antenna, the rear half-space is considerably shielded by the body of the cylinder. This shielding effect can be reduced by introduction of an impedance structure on the cylinder surface, which would obviate the necessity of increasing the number of radiators. Two methods are considered: (1) Increasing the cylinder surface impedance and generating an unidirectional azimuthal wave in order to ensure smoother directional pattern; (2) Exciting two opposite direction azimuthal surface waves within limited areas of the cylinder surface in such a fashion that their interference is avoided. The second method theoretically yields a much better directional pattern. Orig. art. has: 4 figures and 3 formulas. [03]

SUB CODE: 09 / SUBM DATE: 07Jun65 / ORIG REF: 002 / OTH REF: 001/ ATD PRESS: 4257

Cord 1/1 FW

UDC: 621.396.671

NAYMUSHINA, R.F.

Mutual solubility in the system $H_2BO_3 - Na_2SO_4 - H_2SO_4 - H_2O$ at 0 and 50°C.
Trudy Inst.khim.nauk AN Kazakh.SSR 10:167-174 164.

(MIRA 17:10)

USSR / Cultivated Plants. Fodder Crops.

K-5

Abs Jour : Ref Zhur - Biologiya, No 13, 1958, No. 58622

Author : Naynena, A. Yu.
Inst : Lit. Sci.-Res. Institute of Cattle-Breeding and
Veterinary Science
Title : Components of the Green Fodder Area in the Middle-
Lithuanian Plain

Orig Pub : Byul. Nauchno-tekhn. inform., Lit. n.-i. in-t
zhivotnovodstva i veterinarii, 1957, No 1, 9-11

Abstract : The best components for the green pastures in the
Middle-Lithuanian plain (sandy loam and argillaceous
soil), according to the surveys conducted by the
Institute in 1952-1955, are: winter rape or a mixture
of winter vetch with rye, a mixture of winter vetch
with winter wheat, a mixture of perennial grasses or
clover; a vetch-oat mixture or a mixture of winter vetch

Card 1/2

71

USSR/Farm Animals - Cattle

Q

Abs Jour : Ref Zhur - Biol., No 15, 1958, 69287

Author : Naymene, A.Yu.

Inst : Lithuanian Scientific Research Institute of Animal
Husbandry and Veterinary Medicine

Title : Corn as a Crop of Green Conveyor for Dairy Cows

Orig Pub : Byul. nauchno-tekhn. inform. Lit. n.-i. in-t zhivotno-
vodstva i veterinarii, 1957, No 1, 21-23

Abstract : No abstract.

Card 1/1

804777-4-2-1578

Lyallkov, E.S.

Successes of Soviet Electrophotography (Uspekhi sovetskoy elektrofotografii) A Scientific and Technical Conference on Questions of Electrophotography (Nauchno-tekhnicheskaya konferentsiya po voprosam elektrofotografii)

Zhurnal nauchnoy i prikladnoy fotografii i kinematografii,
1950, vol. 4, no. 3, pp. 149-152 (U.S.S.R.)

This is an account of a scientific and technical conference on electrophysics, the first to be held in the Soviet Union and evidently the first in 1955. It was organized in Vil'nyus on September 15-19, 1955 by the Soviet Academy of Sciences of the Lithuanian SSR (Council for Scientific Research of the Lithuanian SSR), the Gosstatizhplan (State Statistical Committee), the Gosplan (State Planning Commission), the Gosstatizhplan (State Scientific and Technical Committee of the Council of Ministers of the Lithuanian SSR) and the Maubino-Isledovatel'skiy Institut Elektrofiziki (Scientific Research Institute of Electrophysics). The conference, attended by over 500 scientific workers, was opened by the Deputy Chairman of the Council for National Economy of the Lithuanian SSR, P. A. Gail'vats, after which Professor Zhilvickis reviewed the state of electrophysics in Lithuania. Professor Zhilvickis stressed the importance of development of electrophysics in the USSR, predicting that research in this field should be carried out along the following lines: a) search for new photo-active materials with high dark resistance b) physical research into the internal photoeffect c) development of photoconductor layers; d) development of the theory of the electrophotographic process. K. B. Kalikov (speaking about the internal photoeffect) gave a report in which he suggested that layers with a high light sensitivity of electrophotographic layers be developed. Professor Zhilvickis then reported on the results of his work. He said that Professor V. G. Kalinauskas and G. M. Gurevich reported on some research on the sensitization of a semiconductor in electrophotographic layers. L. A. Prukhin gave a report on highly sensitive electrophotographic layers and an electrophotocopying device, and reviewed the formation process of the latent electrophotographic image on the basis of the latent electrophotographic image. He also described the design of an electrophotocopyer. He also determined the design of an electrostatic master for a charge on the surface of a copying device. Professor Zhilvickis then reported on the work of the Institute of Electrophysics, describing the latter and then spoke on the mechanism and kinetics of the development of the latent electrophotographic image in liquid developers.

Case 3:20

807/77-4-2-15/18

Summaries of Soviet Electrophotography: A Scientific and Technical Conference on Questions of Electrophotography

L.M. Vinogradov described some of the features of the cascade and liquid methods of electrophotographic development. Yu.Ye. Karpashko devoted his report to the criterion of light sensitivity of the electrophotographic process. After the reports, a discussion took place on methods of determining the light sensitivity of electrophotographic layers. A.M. Chernyshev spoke on the prospects of developing polygraphic processes using electric fields. G.I. Gerasimov, O.V. Gromov (speaking for I.I. Zhilovskiy), I.A. Gerasimov, A.S. Pashka and Yu. I. Kovalenko reported on the development of electrophotographic reproduction equipment. A.S. Pashka (speaking also for I.I. Zhilovskiy), K.P. Golovinskiy, M.M. Golovinskiy and M.I. Rukhovich reported on the use of electrophotographic methods in recording oscillographs and other recording instruments. V.F. Yurchenko (speaking also for L.K. Elin) spoke on the possibility of electrophotographically recording images from electron-beam tubes. A.S. Kozlov (speaking also for E.M. Markovich, T.I. Kozlovskaya, E.I. Malenkov, M.K. Myznitsin, I.F. Zhilovskiy and A.A. Montanari) gave a detailed description of laboratory and machine methods of producing photosaliconic-ter papers (zinc oxide was used). A.A. Sukhly (speaking for I.I. Zhilovskiy, O.V. Gromov, V.A. Gerasimov, M.V. Gerasimov and T.A. Gerasimov) described a laboratory and industrial machine for producing photosaliconic-ter papers. T.I. Kozlovskaya (speaking also for A.A. Chukin) reported on a method of separating electrophotographic materials using an a/c bridge. E.M. Markovich (speaking also for A.I. Gerasimov and E.M. Markovich) spoke on developing materials for electrophotography and thermomagnitography, including developers giving a "reverse" image. B.I. Tikhonov reviewed methods of measuring the electrostatic potentials of electrophotographic layers, stressing that the oscillating electrode should not be placed above a layer with varying potential as this causes self-discharge. E.V. Kravovskiy (speaking also for E.S. Gerasimov, A.I. Gerasimov and Ye. S. Gerasimov) spoke on the practice of producing velox papers in an electrostatic field, and showed the papers produced by the Grigishakya paper factory. Ye. S. Gerasimov gave a historical review of the development of electrophotography in which he paid tribute to the work of the Scientific Institute of Electrophotography in Vil'nyus and the Scientific Institute of Electrophotography in Minsk (Minsk Electrophotography Machine-Building Institute (Minsk)). Debates were then held

Card 6/10

Cam 10/10

NAYNIK, R.L., agronom

Need for a special pavilion. Zashch. rast. ot vred. 1 bol. 2
no.6:31-33 N-D '57. (MIRA 16:1)
(Moscow--Agricultural exhibitions)
(Plants, Protection of--Exhibitions)

NAYNIK, R.L.

Exhibit of advanced practices. Zashch. rast. ot vred. i bol. 3
no.3:18-19 My-Je '58. (KIRA 11:6)
(Plants, Protection of—Exhibitions)

WAINIK, R.L.

At the cradle of organic chemistry. Zashch. rast. ot vred. i
bol. 3 no.5:15-18 8-0 '58. (MIRA 11:10)
(Chemistry, Organic) (Plants, Protection of)

KAYNIK, R.L.

In one of the districts. Zashch.rast.ot vred. 1 bol. 4 no.1:
14-17 Ja-F '59. (MIRA 12:2)
(Serpukhov District--Plants, Protection of)

NAYNIK, R.L.

Exhibit on the protection of grain crops. Zashch.rast.ot vred.1
bol. 4 no.3:18 Kv-Je '59. (MIRA 13:4)
(Grain--Diseases and pests)
(Moscow--Agricultural exhibitions)

NAYNIK, R.L.

At the Exhibition of Achievements of the National Economy of the
U. S. S. R. Zashch. rast. ot vred. 1 bol. 4 no. 4:56-57 JL-Ag '59.
(MIRA 16:5)
(Moscow-Exhibitions) (Plants, Protection of Exhibitions)

NAYNIK, R.L.

At the Exhibition of Achievements of the National Economy of the
U.S.S.R. Zashch. rast. ot vred. 1 bol. 4 no.5:14-15 8-0
'59. (MIRA 16:1)
(Moscow--Exhibitions) (Plants, Protection of--Exhibitions)

NAYNIK, R. L.

At the Exhibition of Achievements of the National Economy of
the U.S.S.R. Zashch. rast. ot vred. i bol. 5 no.5:20-21
My '60. (MIRA 16:1)

(Moscow—Exhibitions)

(Plants, Protection of—Exhibitions)

NAYNES, I.

"Zoohygiene with the Fundamentals of Veterinary Medicine" in Lithuanian

Vilnius, State Politico-Scientific Publishing House, 1952, 48 pages
Ministry of Agriculture, Lithuanian SSR, Admin Agricultural Propaganda

Veterinariya, Vol 30, No 3, 1953

NAYNIS, I.-V.I. [Mainys, I.-V.I.]

Conference of Forensic Medical Personnel and Criminologists of
the Lithuanian S.S.R. Sud.-med. ekspert. 4 no.4:57 O-M-D '61.
(LITHUANIA...MEDICAL JURISPRUDENCE...CONGRESSES) (MIRA 14:12)

NAYNIS, I. V. I. [Nainys, I.]; NAMINSKAS, A. I.; VARANETSKAS, I. P.
[Varanetskas, I.]

Use of electroroentgenography in medicine. Vest. rent. 1 rad.
40 no. 1251-54 Ja-F '65. (MIRA 18:6)

1. Kaunasskiy meditsinskiy institut (rektor - prof. Z. I.
Yanushkevichus [Januskevicius, Z.]) : Nauchno-issledovatel'-
skiy institut elektrografii (dir. - I. I. Zhilevich).

WATNISE
p.3

23(4) 23 (5)
 AUTHOR: Lyalikov, K.S.
 TITLE: Successes of Soviet Electrophotography (Uspehi sovetskoy elektrofotografii) A Scientific and Technical Conference on Questions of Electrophotography (Nauchno-tekhnicheskaya konferentsiya po voprosam elektrofotografii)
 PERIODICAL: Zhurnal nauchnoy i prikladnoy fotografii i kinematografii, 1959, Vol. 4, No. 2, pp 149-152 (U.S.S.R.)

ABSTRACT: This is an account of a scientific and technical conference on electrophotography, the first to be held in the Soviet Union and evidently in the world. It was organized in Vil'nyus on December 15-19, 1958 by the Soviet Narodnogo Khozyaystva Litvskoy SSR (Council for National Economy of the Lithuanian SSR), the Gosudarstvennyy Nauchno-Tekhnicheskiy Komitet Sovetskoy Administratsii (State Scientific and Technical Committee of the Council of Ministers of the Lithuanian SSR) and the Nauchno-Issledovatel'skiy Institut Elektrofotografii (Scientific Research Institute of Electrophotography). The conference, attended by over 300 scientists, copy-here was opened by the Deputy Chairman of the Council for National Economy of the Lithuanian SSR P.A. Kul'vets, after which the director of the Institute for Electrophotography, I.I. Zhilovich, reviewed the state and prospects for development of electrophotography in the USSR. He stated that research in this field should be carried out along the following lines: a) a search for new photo-active materials with high dark resistance; b) physical research into the internal photoeffect; c) development of photoconductor layers; d) development of the theory of the electrophotographic process. K.G. Kaligor (speaking also for O.S. Zepova) gave a report in which he suggested determining the limits of application of electrophotographic layers in color units. M.Z. Plavin (speaking also for I.I. Zhilovich, L.I. Khram'tsin, M. Karstich, G. Kalashnikov and O.A. Syuzidina) reported on some research on the application of a semiconductor in electrophotographic layers. P. Radkin gave a report on highly sensitive electrophotographic layers and an electrophotocopying device, and reviewed the formation process of the latent electrophotographic image on the basis of the tonal theory. He also described the design of an electro-sensitometer for determining sensitivity by the relaxation period of a charge on the surface of the layer, and the circuit of a film electrophotographic copying device. Analytic techniques for determining the development of the latent electrophotographic image in liquid developers.

Card 3/20

Successes of Soviet Electrophotography: A Scientific and Technical Conference on Questions of Electrophotography

I. M. Vinogradov described some of the features of the cathode and liquid methods of electrophotographic selection. V. V. Koshakov devoted his report to the utilization of light sensitivity of the electrophotographic process. After the reports of discussion took place on methods of determining the light sensitivity of electrophotographic layers, V. V. Koshakov reported on the prospects of developing polymeric processes on the electric and magnetic forces of the beam (speaking also for I. I. Zhilevich, A. I. Lukhuts, V. I. Gerasimov, P. A. and V. I. Kovalyants) reported on the development of electrophotographic reproducing equipment. I. I. Zhilevich (speaking also for I. I. Zhilevich, A. S. Borzov, V. M. Galvitski and V. I. Lukhutskaia) reported on the use of electrophotographic methods in recording the signals of other recording instruments.

[illegible]

05/05/20

on methods of measuring the presence of charged electro-photographic film. I. I. Tikhonov's report on the subject was shown in 5. G. Gerasimov stated that the bad influence of the oscillating electrode can be eliminated if the electrode probe above its surface is fixed and the pickup is connected to it by a shielded cable. In the debate on V. I. Mal'kovskiy's report it was stated that the research of Academician A. M. Terenin and Ye. K. Patsyeko should be considered as the basis of all work on electrophotographic papers with ZnO, as they were the first to show the possibility of optical sensitization of the internal photoeffect in ZnO. I. I. Gol'vitskiy then gave a report on the depositing of charges by corona discharge. A. K. Kuznetsov and A. P. Lyagin reviewed some of the results of the use of electrophotographic methods in radiography. I. I. Rybnikov (speaking also for I. I. Shilevich, I. S. Flavin, Yu. K. Vukobratovich and Yu. G. Gerasimov) reported on relaxation phenomena in electrophotography. In his report on the subject, I. K. Tikhonov also mentioned research on electro-physical properties of the polycrystalline layers of selenium cadmate, K. P. Kikhalovich spoke on some of the photoelectric properties of Sb_2S_3 and SnS_2 ; the absorption maxima of the latter is about 900 $\text{\AA}$. I. K. Rybnikov reported on methods of obtaining selenium light-sensitive layers, including sublimation and thermal treatment; it was also found that the sensitivity of the layers increased after storage for 1.5 to 2 months at room temperature. P. M. Potel'skii (speaking also for G. Gerasimov) spoke on research into the electrical properties of electrophotographic layers of mercurous selenide and powdered zinc oxide, S. K. Mal'kov (speaking also for A. S. Tsvetkov) discussed the production of selenium layers and some of their properties. Finally the following reports on ferroelectricity were presented: 1) V. I. Mal'kovskiy, I. I. Tikhonov, A. K. Tikhonov, "Electrodeposition of ferroelectric films with given magnetic characteristics," 2) V. I. Mal'kovskiy, "Visualisation of Magnetic Oscillations by the Ferrographic Method," 3) V. I. Mal'kovskiy, "Ferrographic Recording of Acoustic Images," 4) I. I. Shilevich, I. I. Glikh, B. I. Kuznetsov, I. I. Rybnikov, A. K. Tikhonov, "Rock Experiments in Ferroresonance Ferroelectric Printing," there was also an exhibition showing the work of the Electrographic Institute. The most important conclusion of the conference was that a solid approach had been made to the possibility of wide technical use of the methods of electrophotography. It was considered that although work in this field is only beginning, it is a very important work in the USSR in 10 years. This indicates that it was as much greater to reproduce results already achieved than to be the first to arrive at them, the conference observed that the Americans took good care that no important information appeared in the literature available.

Card 10/10

NAYSET, R.T. [Meset, R.T.]

Basis of the "kalvar" system of photography. NTI no.5:33-
37 '63. (MIRA 16:11)

137-1958-3-5049

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 3, p 84 (USSR)

AUTHORS: Leyzerova, M. M., Naysh, B. N.

TITLE: Electric Heating of Valve Stock Replaces Heating in Flame Furnaces (Elektronagrev zagotovok klapanov vzamen nagreva v plamennykh pechakh)

PERIODICAL: Tekhnol. transp. mashinostroyeniya, 1957, Nr 8, pp 19-23

ABSTRACT: A description of a process in which valve stock, made of Kh9S2 steel, is heated by inductive methods in a standard KIN-20 forge heater. The flame-heated forgings have a medium-acicular martensite structure with an R_c of 52-55, whereas induction-heated forgings have a fine-acicular martensite structure with an R_c of 56-58. The introduction of the induction-heating method produced a 25 percent increase in the production, increased the durability of the dies by 17 percent, effected a 5 percent saving of metal, and reduced the total cost of heating the stock by 31 percent. Experiments were carried out in which the heating of stock for tempering purposes was combined with heating operations intended to prepare the metal for die forging. The mechanical properties of metal treated in this fashion are comparable to

Card 1/2

137-1958-3-5049

Electric Heating of Valve Stock Replaces Heating in Flame Furnaces

those of metal treated in the standard manner, whereas the strength characteristics are even somewhat higher. Sorbitic structure is observed in both cases. In the future separate heating operations for tempering may be eliminated.

I. G.

Card 2/2

NAYSH, M.N.; YEGOROV, B.L., mashinist

Readers letters. Elek.1 tepl.tiaga 6 no.2:46 F '62. (MIRA 15:2)

1. Glavnyy ' zh. luganskogo teplovozostroitel'nogo zavoda im. "Oktyabr'skoy Revolyutsii" (for Naysh). 2. Depo Batabinsk Zapadno-Sibirskoy derogi (for Yegorov).
(Locomotives)

NAYSH, M. N., inzh.; YENENKO, B. A., inzh.; KOFANOV, G. F., inzh.

Repairing single-model forging and pressing unit in the forge shop after an accident. Mashinostroenie no. 5:16-18 S-0 '62.
(MIRA 16:1)

1. Teplovostreitel'nyy zavod im. Otktyabr'skey revolyutsii.

(Forging machinery—Maintenance and repair)

NAYSH, M.N., inzh.; VARMAN, T.V., inzh.; KARTASHOV, I.N., inzh.

Using special-purpose machine tools for multiple machining. Mashinostroenie no.4:28-29 J1-Ag '63. (MIRA 17:2)

1. Luganskiy teplovozostroitel'nyy zavod (for Naysh, Varman).
2. Luganskiy vecherniy mashinostroitel'nyy institut (for Kartashov).

L 11972-66 EWT(m)/EWP(t)/EWP(b) JD

ACC NR: AP5028986

SOURCE CODE: UR/0122/65/000/009/0064/0068

AUTHORS: Shainskiy, M. Ye. (Engineer); Kartashev, I. N. (Professor); Maysh, M. N. (Engineer)

ORG: none

TITLE: Vibration grinding and polishing of parts

SOURCE: Vestnik mashinostroyeniya, no. 9, 1965, 64-68

TOPIC TAGS: metalworking; vibration, vibration effect, metal polishing, metal finishing, copper sulfate, nonmechanical metal removal, GRINDING, ABRASIVE

ABSTRACT: Some aspects of vibration grinding and polishing are discussed. The polishing action is the result of the relative velocities of the particles and the parts. In the past, the motion of the vibrating reservoir has been made elliptical. The most effective abrasive action takes place over only about 0.1 of the period, giving a vibrational efficiency of $\approx 15\%$ for this type of a device. By making the trajectory of the reservoir a circle, the efficiency can be increased to 70-75%. The abrasive force for such a case is derived as

$$F_a = m A \omega^2$$

(where m = mass of polished part; A and ω = amplitude and frequency of reservoir

Card 1/3

UDC: 621.924.61.7

L 11972-66

ACC NR: AP5028986


vibration; ϵ = characteristic constant for the damping and frictional properties of the load, including parts, abrasive particles, and chemicals). Presently, frequencies of up to 3000 cpm and amplitudes of 6—7 mm can be used. Figure 1 shows the actions of the reservoir walls on the charge for elliptical and circular motions, with a baffle installed in the reservoir. Preliminary tests with baffles show that the efficiency can be increased to 90—95% and capacity by factors of 2—3. The recommended abrasive particle size is shown to be $\chi = L_{\min}/5$ (where $L_{\min}$ = minimum dimension of part to be polished). A new modification of the process uses a compound in the charge, which reacts chemically with the metal of the part and speeds up the polishing. For example, using CuSO_4 in the charge to machine steel, the time required to remove 15 mg/cm^2 can be reduced from 1 hour (without CuSO_4) to 5—10 minutes. Although the cost of this chemi-mechanical process increases by a factor of 2—3, the capacity is increased by a factor of 10. A finish of class 10—12 can be obtained by the above methods.

Card 2/3

L 11972-66

ACC NR: AP5028986

Fig. 1. Reservoir trajectories and forces on the charge.



Orig. art. has: 5 figures and 7 formulas.

SUB CODE: 13/ SUBM DATE: none

Card 3/3

SOV/137-59-3-6887

Translation from: Referativnyy zhurnal. Metallurgiya, 1959, Nr 3. p 281 (USSR)

AUTHORS: Naysh, B. N , Leyzerova, M. M.

TITLE: HF Induction Heating Replaces Flame Furnaces in the Manufacture of Valve Stampings (Perevod shtampovki klapanov s nagreva v plamen-nykh pechakh na elektronagrev)

PERIODICAL: V sb.: Chelyabinsk. kuznetsy v bor'be za tekhn. progress. Chelyabinsk, 1958, pp 57-73

ABSTRACT: The introduction of an HF induction heating (H) installation at the plant made it possible to: a) Obtain a homogeneous structure of the blanks; b) perform H without scaling, which increased the durability of the dies and resulted in a monthly economy of -1700 kg of metal; c) increase the hardness of the valve after stamping in conjunction with HF-induction H, thus eliminating an additional operation of heating prior to quenching.

Ye L.

Card 1/1

NAYSH, V.Ye.; TUROV, Ye.A.

Theory of noncollinear ferromagnetism and antiferromagnetism in
rhombic crystals. Part I. Fiz. met. i metalloved. 11 no. 2:161-
169 F '61. (MIRA 14:5)

1. Institut fiziki metallov AN SSSR.
(Ferromagnetism) (Crystal lattices)

NAYSH, V. Ye.; TUROV, Ye.A.

Theory of noncollinear ferromagnetism and antiferromagnetism in
rhombic crystals. Fiz. met. i metalloved. 11 no.3:321-330 Mr '61.
(MIRA 14:3)

1. Institut fiziki metallov AN SSSR.
(Metal crystals) (Ferromagnetism)

44174

S/181/62/004/012/023/052
B104/B102

24,6110

AUTHORS: Men', A. N., and Naysh, V. Ye.

TITLE: The term splitting in multicomponent disordered crystals

PERIODICAL: Fizika tverdogo tela, v. 4, no. 12, 1962, 3522-3525

TEXT: The theory of term splitting in crystals, developed by Bethe (Ann. de Phys., 3, 133, 1929) is extended to multicomponent disordered crystals. It is assumed that a multicomponent crystal comprises N sites. In the case of n types of atoms, N_t ($t = 1, 2, \dots, n$), $\sum_t N_t = N$ holds. Each site is

characterized by a set M of four symbols $(ikl\alpha)$. i characterizes the color (the type of atom) of the point, k the number of atoms of a given type, l the spatial distribution of the other points with respect to the one considered and α gives the condition that among sites of equal color there may be such as have different magnetic moments. $l(R)$ characterizes an island in space which is bounded by a sphere of radius R . M is the set of all sites, whilst the set $M_j(i, k, l)$ of all sites of the same type is a

Card 1/2

S/181/62/004/012/023/052
B104/B102

The term splitting in multicomponent ...

subset of M. A sequence $R_{\min}^{(j)} < R_1^{(j)} < R_{\max}^{(j)}$ is obtained if one point is connected by rays with the remaining sites and if the distances apart of two sites are ordered. $l(R_{i1}) \leq l(R_{i2})$ holds for the symmetries $l(R_{ik})$ of the island if $R_{i1} < R_{i2}$. If the symmetry $l(R_{\max})$ is known, it becomes possible to find a limiting radius $(R_1)_{\text{limit}}$ for which $l(R_1) = l(R_{\max})$. Thus the problem is reduced to finding the symmetry of the islands, starting from $l(R_{\min})$. The problem is solved for spinel and garnet structures. It is shown that for spinel-type structures that have tetrahedral lattice sites the character of the term splitting is completely explained if due consideration is given to the immediate neighborhood, whereas in the case of octahedral lattice sites two coordination spheres must be considered. There are 1 figure and 2 tables.

ASSOCIATION: Institut fiziki metallov AN SSSR, Sverdlovsk (Institute of the Physics of Metals AS USSR, Sverdlovsk)

SUBMITTED: July 9, 1962

Card 2/2

~~NAISH, V.Ye.~~

Magnetic symmetry of crystals. Fiz. met. i metalloved. 14 no.2:315-316
Ag '62. (MIRA 15:12)

1. Institut fiziki metallov AN SSSR.
(Metal crystals—Magnetic properties)

NAYSH, V.Ye.

Magnetic symmetry in crystals. Izv. AN SSSR. Ser. fiz. 27
no.12:1496-1504 D '63. (MIRA 17:1)

1. Institut fiziki metallov AN SSSR.

KEN', A.N.; NAYSH, V.Ye.

Determining the cation distribution in the interstices from term
splitting in compound oxides. Fiz. tver tela 5 no.9:2477-2489
S '63. (MIRA 16:10)

1. Institut metallurgii Ural'skogo filiala AN SSSR, Sverdlovsk.

BIRYUKOV, V.G.; BRITCHUK, V.V.; KOZHUKHOV, V.K.; KRAYZ, A.G.;
NAYASHKOV, I.S.; NAZAREVSKIY, N.I.; PANOV, A.V.; PETROV, G.N.;
RABINOVICH, S.I.; SAPOZHNIKOV, A.V.

Emmamil Abramovich Man'kin, 1905- ; on his 60th birthday.
Elektrichestvo no.11:86-87 N '65. (MIRA 18:11)

NAYSHTADT, M.I.

Resumption of the activity of the Soviet section of the INQUA.
Biul.Kom.chetv.per. no.23:112 '59. (MIRA 13:4)
(Geology)

KVITNITSKAYA, N.N.; KOSTOVETSKIY, Ya.I.; HAYSHEYN, S.Ya.

Setting up tolerable limits of sewage disposal into natural waters.
Oig. 1 san. 22 no.12:63 D '57 (MIRA 11:3)

1. Iz Ukrainskogo instituta kommunal'noy gigiyeny.
(WATER--POLLUTION) (SEWAGE DISPOSAL)

GAN, G.S., prof., NAYSHTEYN, S.Ya. kand.med.nauk (Kiyev)

Material on developing the required sanitary conditions for
discharging sewage from coal preparation plants into open waters.
Vrach.delo no.3:267-269 Mr'58 (MIRA 11:5)

1.. Ukrainskiy institut kommunal'noy ghyeny.
(SEWAGE DISPOSAL)

MAKSEYEV, S.Ye., kand.med.nauk; PETROV, Yu.L., kand.med.nauk;

KOROVITSKIY, A.A., nauchnyy sotrudnik; BOBOK, T.Ye., nauchnyy
sotrudnik (Kiev)

Sanitary protection of reservoirs from pollution by waste waters
of tanneries. Vrach.delo no.6:623-627 Jo '60. (MIRA 13:7)

1. Ukrainskiy nauchno-issledovatel'skiy institut kommunal'noy
gigieny.

(INDUSTRIAL WASTES) (WATER--POLLUTION)

PETROV, Yu.L., kand.med.nauk; NAYSHTEYN, S.Ya., kand.med.nauk

Digestive reactions in animals in sanitary and toxicological investigations aimed at establishing norms for substances in the water supply. Gig. i san. 25 no.3:67-70 Mr '60. (MIRA 14:5)

1. Iz Ukrainskogo nauchno-issledovatel'skogo instituta kommunal'noy gig'eny.

(WATER—POLLUTION)

KVITNITSKAYA, N.N., kand.med.nauk; KOSTOVETSKIY, Ya.I., kand.med.nauk;
NAYSHTEYN, S.Ya., kand.med.nauk

Effectiveness of the purification of some industrial wastes. Gig.
i san. 26 no.4:68-70 Ap '61. (MIRA 15:5)

1. Iz Ukrainskogo instituta kommunal'noy gigiyeny.
(INDUSTRIAL WASTES)

WASYEN, S. W., and BYTCHENKO, T. S.

"Materials on the Standardization of LIT Analogs (Methoxychlor and IEP) in the Water of Open Reservoirs,"

Report presented at the 2nd All-Union Scientific Conference on the Hygiene and Toxicology of Pesticides, Ministry of Health USSR Committee on the Study and Regulation of New Poisonous Chemicals of the Main State Sanitary Inspection USSR and Kiev Institute of Labor Hygiene and Occupational Diseases, Kiev 17-19 Oct 1962.
(Gigiyena i Sanitariya, No. 3, 1963 p. 104-105.)

Kiev Institute of Labor Hygiene and Occupational Diseases.

WAYSHEYN, S.Ya., kand. med. nauk

Characteristics of waste waters from plants producing
fertilizers and toxic chemicals. Khim. prom. [Ukr.]
no.2:39-41 Ap-Je '63. (MIRA 16:8)

1. Ukrainskiy nauchno-issledovatel'skiy institut kommunal'-
noy gigiyehy.

NAYSHTEYN, S.Ya.; DYATLOVITSKAYA, F.G.; LISOVSKAYA, E.V.; PETROV, Yu.L.;
SURKINA, R.M.

Experimental basis for the permissible concentration of
chlorophenylchlorobenzene sulfonate in open bodies of water.
San.okhr.vod.ot zagr.prom.stoch.vod no.5:145-157 '62.

(MIRA 17:6)

1. Iz Ukrainskogo nauchno-issledovatel'skogo instituta kommunal'noy
gigiyeny.

NAYSHUT, G.M.

Treatment of patients with chronic aneurysm of the heart in local sanatoriums. Vop. kur., fizioter. i lech. fiz. kul't. 26 no.3:233-238 My-Je '61. (MIRA 14:7)

1. Iz kardiologicheskogo sanatoriya "Podlipki" Moskovskogo territorial'nogo upravleniya kurortov, sanatoriyev i domov otdykha (glavnyy vrach V.K.Turgenev, nauchnyy rukovoditel' - deyatvitel'nyy chlen AMN SSSR prof. M.S. Vovsi [deceased]).
(ANEURYSMS) (HEART-DISEASES)

NAYSHTUT, Grigoriy Mikhaylovich, st. nauchn. sotr.; PRESSMAN,
L.P., doktor med. nauk, red.

[Clinical instrumental examinations in cardiac insufficiency] Kliniko-instrumental'nye issledovaniia pri serdechnoi nedostatochnosti. Moskva, Meditsina, 1965.
69 p. (MIRA 18:6)

NAYENTUT, Yu.S. (Kuybyshev)

"A successive approximation in the analysis of shells of complex form"

Report presented at the 2nd All-Union Congress on Theoretical and Applied Mechanics, Moscow 29 Jan - 5 Feb 64

"APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R001136220

APPROVED FOR RELEASE: Monday, July 31, 2000

CIA-RDP86-00513R001136220

USSR/Mathematics - Analysis

Card 1/1 Pub. 22 - 5/49

Authors : Nayshul', A. B.

Title : Linear functional problems

Periodical : Dok. AN SSSR 102/1, 21-23, May 1, 1955

Abstract : A series of theorems is presented giving the conditions under which differential equations of the following type have solutions and their number:

$$\frac{dr(x)}{dx} = A(x) r(x) + b(x),$$

satisfying the so-called functional condition

$$Q_0 r(a) + \int_a^b dG(x) r(x) = \varphi,$$

where the Q and $G(x)$ are quadratic matrices of the n -order. Three references: 1 Fr. and 2 USSR (1932-1950).

Institution :

Presented by : Academician A. N. Kolmogorov, December 27, 1954

NAYSHUL, A. B.

Call Nr: AF 1168825

Transactions of the Third All-union Mathematical Congress * (Cont.) Moscow

Jun-Jul '56, Trudy '56, V. 1, Sect. Rpts., Izdatel'stvo AN SSSR, Moscow, 1956, 237 pp.

Gurevich, B. L. (Odessa). New Space Types of a Basic and Generalized Functions and the Uniqueness Classes of Generalized Cauchy Problem.

114

Kovan'ko, A. S. (L'vov). On the Compactness of Systems of Continuous Functions.

114

Mukminov, B. R. (Odessa). Expansions in Eigen-functions of Dissipative Kernels.

114-116

Mention is made of Livshits, M. S.

Nayshul', A. B. (Moscow). Functional Problem for Ordinary Differential Equations.

116-117

There are 8 references, 2 of which are USSR, 2 French, 3 English, and 1 is a translation into Russian.

Nikol'skiy, V. N. (Kalinin). Operator Properties of Polynomials of the Best Approximation.

117-118

Card 37/80

*

NAYSHUL', A.B. (Moskva); SVETLITSKIY, V.A. (Moskva).

Determination of the domain of possible solutions for a system of
linear differential equations. Prikl.mat.i mekh.20 no.1:144-147
Ja-F '56. (MLBA 9:5)

(Differential equations, Linear)

NAYSHUL', A.B.

Refinement of the convergence of successive approximation methods for linear equations. Dokl. AN SSSR 158 no.2:279-280 S '54.

(MIRA 17:10)

1. Predstavleno akademikom A.Yu.Ishlinskim.

NAYSHULER, G.M., inzh.

Losses of power and voltage and their distribution in various
sectors of the current conductor of the MVI gyrocompass.
[Trudy] VNIIM no.47:367-372 '62 (MIRA 17:7)

GINBERG, A.M.; NAYSHULER, M.A.

Ultrasonic preparation of a magnesium oxide suspension in carbon tetrachloride. Zhur. prikl. Khim. 33 no.8:1729-1733 Ag '60.

(MIRA 13:9)

(Magnesium oxide)

(Ultrasonic waves)

(Suspensions (Chemistry))

ACCESSION NR. AP4024766

8/0080/64/037/003/0553/0557

AUTHOR: Ginderg, A. M.; Nayshuller, H.A.

TITLE: Effect of the ultrasonic field on parkerizing and properties of phosphate coatings

SOURCE: Zhurnal prikladnoy khimii, v. 37, no. 3, 1964, 553-557

TOPIC TAGS: Ultrasound, parkerizing, phosphate coating, corrosion property, porosity, electrical stability, ultrasonic field

ABSTRACT: The possibility of intensifying the parkerizing process of ferrous metals and improving the physico-mechanical and corrosion properties of phosphate films with the aid of ultrasonics was studied. The possibility of substituting the sandblast treatment of the surface of products, which was usually employed before parkerizing and provided the best results, is studied with ultrasound parkerizing. The superimposition of the ultrasonic field during parkerization makes it possible to precipitate qualitative phosphate films in steel without sandblast treatment. The phosphate films obtained in the ultrasound field with 16-22 kc frequency for 40-60 minutes are less porous and differ by more highly

Card 1/2

ACCESSION NR: APL021766

anti-corrosive properties, electrical stability, and finer structure. Parkerization in the ultrasonic field makes it possible to obtain a coating with the same (and in many cases superior) properties as coatings obtained in steel with preliminary sandblasting. Orig. art. has: 2 tables, 3 figures

ASSOCIATION: none

SUBMITTED: 00

DATE ACQ: 16Apr64

☐ EXCL: 00

SUB CODE: CH, EL

NO. REF. SOV: 1000

OTHER: 000

Card 2/2

NAYVEL'T, E. H.

VOLODARS'KA, D.M.; GOROKHOVS'KYY, M.E.; KONDRAT'YEV, S.F.; PRAKHOV, M.M.;
KOVPAHENKO, T.M.; SUKHENKO, Ye.K.; LYASHEVS'KA, V.F.; ZHEL'NIO, T.M.;
KHIVRICH, G.K.; GEORGIYEVSKYY, M.I.; NAYVEL'T, E.M.; DENISENKO, L.,
veduchiy faktor; PATSALIYUK, P., tekhnichniy redaktor

[Hints for everyday living] Pobutovi porady; Vyd. 3-ie, vypr. 1
dop. Kyiv, Derzh. vyd-vo tekhn.lit-ry URSR, 1957. 184 p.
(Home economics) (MIRA 10:8)

SYPCHEVSKO, G.I. [Sypchenko, H.I.]; MAL'TSEV, N.N. [Mal'tsev, N.N.];
TKACHUK, V.P.; KOVAL'CHUK, L.S.; MAKVEL'IS, V.M.

Application of various methods for measuring acetaldehyde concentration in water solutions. Khim. prom.[Ukr.] no.104-66
Ja-Mr '65. (MIRA 13:4)

NAYVEL'T, Z. (Kiyev)

Advertising in ~~one~~ wholesale trade, Sov. targ. 35 no.12:51-52 D '61.
(MIRA 14:11)

1. Nachal'nik otdela organizatsii trgovli Ukroptgalanterei, g.
Kiyev.

(Advertising--Wholesale trade)

HAYVIDELENE, B.

Fusus oculi in hypertension. Sovet. med. 16 no. 8:32-33 Aug 1952.
(CML 23:3)

1. Of the Department of Eye Diseases (Head --- Docent P. Pakonaytis),
Vil'nyus State University.

NAYVIRT, Karel, professor

Development and present state of urology in Czechoslovakia. Urologia
no.4:77-83 O-D '55. (MLA 9:12)

1. Zav. urologicheskoy klinikoy meditsinskogo fakul'teta v Brno.
Predsedatel' Chexoslovatskogo urologicheskogo obshchestva.
(UROLOGY,
in Czech.)

NAYYER, V.A., kand.tekhn.nauk; ROZHENTSEVA, S.A., inzh.

Semiconductor cooler for liquids. Khol.tekh. 40 no.1:28-23 Ja-P '63.
(MIRA 164)

1. Odesskiy tekhnologicheskii institut pishchevoy i kholodil'noy promyshlennosti.
(Refrigeration and refrigerating machinery) (Thermistors)

HATZELIS, M.N., kand.med.nauk

Effect of intravascular injections of pyramidon on kidney function.
Vrach.delo supplement '57:98 (MIRA 11:3)

1. Kafedra patologicheskoy fiziologii (zav.-prof. I.I.Fedorov)
L'vovskogo meditsinskogo instituta.
(AMINOPYRINE) (KIDNEYS)

NAZAGOV, A. I. and FINKELSTEIN, I. I.

"The size of the load in the feeding cylinder of a carding machine," published by State Publishing House of Light Industry, page 14.

SO: Textile Industry, Moscow 1955.

BILEK, Vatslav, inzhener; BLATTNYY, Tstipor, inzhener, doktor; BROZNEK, Karl, inzhener; DOGRAL, Lyudvig; GLAVACHEK, Frantisek; LGOTSKIY, Alois, inzhener, doktor; MAKHAT, Frantisek; MAZAL, Yaroslav; OSVAL'D, Vladimir, inzhener; MOZHICHEA, Moymir, inzhener; ~~ANDRUCH~~; Vatslav, inzhener, doktor; TRKAN, Miroslav, inzhener; ZHILA, Vladimir; SHKOP, Ya., inzhener [translator]; MEDINTSEV, M., inzhener, [translator]; MASLOVA, Ye.F., redaktor; GOTLIB, E.M., tekhnicheskii redaktor.

[Technology of malt and beer] Tekhologiya soloda i piva. Avtorskii kollektiv Vatslav Bilek i dr. Avtoriz. perevod s cheshekogo IA. Shkopa i M. Medintseva, Moskva, Pishchepromizdat. Vol. 1. [Malt production] Proizvodstvo soloda. Translated from the Czech. 1957. 285 p.

(MIRA 10:6)

(Malt)

NAZALEV, ANDREEV

Developing the Short-wave Activity. "RADIO" Ministry of Communications,
#11:13:Nov. 55

NAZAR, Krystyna; POZTARSKA, Jolanta

Changes in the excretion of 17-ketosteroids and uropepsin in
emotional states in various stages of development. Acta physiol.
pol. 14 no.5:503-515 S-0'63

1. Z Zakladu Fizjologii Pracy PAN; z Zakladu Fizjologii
INKE w Warszawie; kierownik; prof.dr. Wl.Missiuro.

*

NAZAR, Krystyna

Changes in the level of 17-hydroxycorticosteroids in the blood plasma under the influence of muscular work. Acta physiol. Pol. 16 no.2:195-206 Mr-Ap'65.

1. Z Zakładu Fizjologii Pracy Polskiej Akademii Nauk (Kierownik: prof. dr. Wl. Missiuro).

GALUSZKA, Jan; NAZAR, Tadeusz; SZAFLARSKI, Jerzy; WACLAWEK, Dorota

Sabin-Feldman toxoplasmin color reaction in dogs in Krakow.
Wiadomosci parazyt., Warsz. 6 no.5:425-427 '60.

1. Pracownia toksoplazmozy Wojewodzkiej Przychodni Immunopatologii
Ciazy i Noworodka i Wojewodzki Zaklad Higieny Weterynaryjnej,
Katowice (Doniesienie tymczasowe)
(TOXOPLASMOSIS immunol)

NAZARANEA, B., arkhitektor

Cosiness of our apartments. Rab. 1 sial. 35 no.10:23 '59.
(MIRA 13:2)

(Interior decoration)

NAZAFBEGOV, V.Ye.

Selecting the method for the construction of railroad tunnels.
Trudy GPI [Gruz.] no.7:115-127 '63.

(MIRA 18:6)

NAZARBEGOV, Vakhtang Yevstaf'yevich

[Railroad tunnels] [Zheleznodorozhnye tonneli. Tbilisi,
Ganatlaba] 1965. 151 p. [In Georgian] (MIRA 18:8)

NAZARCHIK, A.F.

TERPOGOSOV, Z.A.; NAZARCHIK, A.F.

Mastering the technique of narrow vein sectional mining.
Trudy Inst.gor.dela 1:59-68 '54. (MLRA 7:12)
(Mining engineering)

HAZARCHIK, A.F., kandidat tekhnicheskikh nauk.

In the quest of effective methods for exploiting mineral deposits;
the all-Union scientific-technological conference. Vest.AN SSSR 26
no.11:110-112 N '56. (MLRA 9:12)
(Baley--Mining engineering--Congresses)

NAZARCHIE

SKOCHINSKIY, A.A.; TERPIGOREV, A.M.; SHEVYAKOV, L.D.; SERGEYEV, A.A.;
ZAKHAROV, P.A.; USKOV, S.I.; AGOSTKOV, M.I.; MEL'NIKOV, N.V.;
BRONNIKOV, D.M.; YENIEYEV, N.B.; PROTOPOPOV, D.D.; SUDOPLATOV,
A.P.; BARON, L.I.; MAN'KOVSKIY, G.I.; NAZARCHIE, A.F.; TERPOGOSOV,
Z.A.; BARSUKOV, F.A.; POMORTSEV, A.D.; DEMIDYUK, G.P.; MOLCHANOV,
P.V.; MAKSIMOVA, Ye.P.; GRIBIN, A.A.; BARONENKOV, A.V.; SINDAROVSKIY,
N.S.; BOGOMOLOV, V.I.; KHODOV, L.V.; MOSKAL'KOV, Ye.F.; GONCHAROV,
T.I.

Aleksandr Vasil'evich Kovazhenkov; obituary. Bezop. truda v prem.
1 no.12:35 D '57. (MIRA 12:3)
(Kovazhenkov, Aleksandr Vasil'evich, 1906-1957)

SKOCHINSKIY, A.A.; TERPIGOROV, A.M.; SHEVYAKOV, L.D.; AGOSHKOV, M.I.;
KUL'NIKOV, N.V.; BRONNIKOV, D.M.; YENIKETEV, N.B.; HAZARCHIE, A.F.;
TERPOGOSOV, Z.A.; BARZUKOV, F.A.; SERGETEV, A.A.; PROTOPOPOV, D.D.;
SUDOPLATOV, A.P.; BARON, L.I.; MAN'KOVSKIY, G.I.; POMORTSEV, A.D.;
DEMIDYUK, G.P.; KAPITANOV, T.V.; MOLCHANOV, P.V.; MAKSIMOVA, Ye.P.;
GRIBIN, A.A.; BARONENKOV, A.V.; SINDAROVSKIY, N.S.; BOGOMOLOV, V.I.;
KHODOV, L.V.; MOSKAL'KOV, Ye.F.

Aleksandr Vasil'evich Kovazhenikov; an obituary. Gor. zhur. no.12:
72 D '57. (MIRA 11:1)

(Kovazhenkov, Aleksandr Vasil'evich, d. 1957)

NAZARCHIK, Aleksandr Fedorovich; AGOSHKOV, M.I., otv.red.; KAEVSKIY,
O.M., red.izd-va; RYLINA, Yu.V., tekhn.red.

[Ore dilution in mining vein deposits] Razubozhivanie rudy pri
razrabotke zhil'nykh mestorozhdenii. Moskva, Izd-vo Akad.nauk
SSSR, 1960. 110 p. (MIRA 14:2)

1. Chlen-korrespondent AN SSSR (for Agoshkov).
(Mining engineering)

AGOSHKOV, M.I., prof.; MUKHIN, M.Ye., kand.tekhn.nauk; NAZARCHIK, A.F.,
kand.tekhn.nauk; MAMUROV, L.A., gornyy inzh.; RAFIYENKO, D.I.,
gornyy inzh.; SEROBYEV, A.A., otv.red.; SLAVOROSOV, A.Lh., red.
izd-va; BOLDYREVA, Z.A., tekhn.red.

[Systems of mining vein deposits] Sistemy razrabotki zhil'nykh
restorozhdenii. Pod obshchei red. M.I.Agoshkova. Moskva, Gos.
nauchno-tekhn.izd-vo lit-ry po gornomu delu, 1960. 375 p.
(MIRA 14:1)

1. Chlen-korrespondent AN SSSR (for Agoshkov).
(Mining engineering) (Ore deposits)

AGOSHKOV, M.I.; NAZARCHIK, A.F., kand.tekhn.nauk

Reducing stoping labor in working vein deposits. Nauch.sob.
Inst.gor.dela 5:3-11 '60. (MIRA 15:1)

1. Chlen-korrespondent AN SSSR (for Agoshkov).
(Stoping (Mining))

88606

12 JUL 60 2400 only

S/127/60/000/005/001/008
B012/B058

AUTHORS: Agoshkov, M. I., Corresponding Member AS USSR, and
Nazarchuk, A. P., Candidate of Technical Sciences (Lyubertsy,
Moskovskaya oblast')

TITLE: New Technology of Excavation for the Mining of Vein Deposits

PERIODICAL: Gornyy zhurnal, 1960, No. 5, pp. 14 - 18

TEXT: Since 1951 the tin mines of the Khrustal'ninskiy kombinat Primorskogo sovnarkhoza (Khrustal'nyy Combine of the Primorskiy sovnarkhoz) jointly with the Institut gornogo dela AN SSSR (Mining Institute AS USSR) have been engaged in improving the processes applied for the mining of vein deposits. The following mining systems were elaborated in the course of these activities: mining with ore storing in layers; mining with complete storing and stull timbering; mining with divided mining of the ore and with storing of the debris; downcast excavation with gob flushing and with filling of the mined space. Drilling and blasting operations were also improved. Compared with 1951, the efficiency of a team was trebled at the beginning of

Card 1/5

88606

New Technology of Excavation for the
Mining of Vein Deposits

S/127/60/000/005/001/008
B012/B058

1959. Moreover, experiments were made, using bore holes of smaller diameter (34 to 36 mm) for mining in a narrow working space. 1957 to 1958 new variants of ore drawing from the blocks were elaborated: drawing over ore chutes to the drift ground and subsequent transportation to the lower horizon by means of scrapers; drawing by means of closely spaced drawing chutes. Both variants proved to be suitable. At the same time, attempts were made to organize the work in such a way that one brigade should carry out the biggest number of mining processes, and a maximum interchangeability of laborers should be achieved. After drawing up the plan and fixing the processes, experimental work was conducted in April 1959 in the Khrustal'nyy mine on some blocks of the Volkovskaya vein. The comprehensive brigade under direction of Brigade Leader M. N. Boyko mined 40-m high and 60-m long blocks according to the ore-storing process with continuous drift line along the entire block (Fig. 1). The holes were drilled in the Krivoy Rog with the new telescopic overspeed perforator PT-29 (PT-29) from the zavod "Kommunist" ("Kommunist" Plant). The rate of drilling was 48 to 49 cm/min. The holes were simultaneously drilled to a depth of 1.8 m with 4 to 5 perforators. The holes were arranged in three rows like a chess-

Card 2/5

88606

New Technology of Excavation for the
Mining of Vein Deposits

S/127/60/000/005/001/008
B012/B058

board pattern with a distance of from 0.5 to 0.6 m between rows. The distance between the holes was 0.6 to 0.7 m, as usual. The output increased to 10 to 13 m³ per shift. The rate of drilling increased from 22 to 49.2 cm/min after using core bits of 36 mm diameter (instead of 44 mm). The drift was thus driven at a rate of about 40 m per month, which is unprecedented for the mining of vein deposits in the USSR. In conjunction with the reduced diameter, the use of the new cruciform core bits with interrupted cutting edge from the experimental batch produced by the Kiyevskiy eksperimental'nyy zavod tverdosplavnogo i almaznogo instrumenta (Kiyev Experimental Plant for Hard Alloy and Diamond Tools) was of great influence on the reduction of the bulk of work. The holes in the experimental blocks were blasted with the new explosive Detonit. The mined ore was drawn by means of drawing chutes arranged along the entire block length without interspaces (Fig. 1). The new process was completely adopted by the Tsentral'nyy Mine in December 1959, as well as by the Primorskiy Mine of the kombinat Sikhali (Sikhali Combine) and the Verkhne-Kentsukhinskiy Mine of the kombinat Dal'olovo (Dal'olovo Combine). There are 3 figures, 1 table, and 1 Soviet reference.

Card 3/5

88606

New Technology of Excavation for the
Mining of Vein Deposits

S/127/60/000/005/001/008
B012/B058


ASSOCIATION: Institut gornogo dela AN SSSR, Lyubertsy, Moskovskoy obl.
(Mining Institute AS USSR, Lyubertsy, Moskovskaya oblast')

X

Card 4/5

88606

S/127/60/000/005/001/008
B012/B058



Legend to Fig. 1: System with ore storing in the Khrustal'nyy mine.

Card 5/5

NAZARCHIK, A.F., kand. tekhn. nauk; CHUDAKOV, V.V., gornyy inzhener

Studying the stoping rate in developing vein deposits. Nauch.
soob. IGD 11:38-47 '61. (MIRA 16:4)

(Stoping(Mining))

NAZARCHIK, A.F., kand.tekhn.nauk

Study of labor consumption in development and cutting operations in
working vein deposits. Nauch. soob. IGD 17:27-40 '62. (MIRA 16:7)
(Mining engineering--Labor productivity)

NAZARCHIK, A.F., kand.tekhn.nauk; CHUDAKOV, V.V., gornyy inzhener

Features of breaking and shattering rock by blasting in a narrow slope. Vzryv. delo no.50/7:148-152 '62. (MIRA 15:9)

1. Institut gornogo dela imeni A.A. Skochinskogo.
(Blasting)

SEMEVSKIY, V.N., doktor tekhn. nauk; BRONNIKOV, D.M., doktor tekhn.
nauk; NAZARCHIK, A.F., kand. tekhn. nauk

"rapid drifting" by B.I. Nifontov. Gor. shur. no.10:79-80
0 '63. (MIRA 16:11)

SAVCHENKO, D.S.; NAZARCHUK, A.P., kandidat sel'skokhozyaystvennykh nauk;
BOBOROVA, G.K., redaktor; TISHNEVSKIY, I.I., tekhnicheskii redaktor

[Raising 48.6 centers of millet per hectare] 48,6 tsentnera prosa s
gektora. [Moskva, Izd-vo Ministerstva sel'skogo khoziaistva SSSR,
1956] folder (4 p.) (MIRA 10:1)
(Millet)

RAPOPORT, G.N.; NAZARCHUK, A.T.

Effect of the phase velocity gradient on the self-excitation
of a backward-wave tube. Radiotekh. i elektron. 7 no.3:460-463
Mr '62. (MIRA 15:2)

(Traveling--Wave tubes)

VSEKHSVIATSE'Y, S.K.; NAZARCHUK, G.K.; VODOP'YANOVA, T.V.

Mrkos' comet (1955b). Astron.tsir. no.162:8-9 Ag '55. (MLRA 9:5)

1. Kafedra astronomii Kiyevskogo gosudarstvennogo universiteta,
Kiyev.

(Comets--1955)

HAZARCHUK
KAZUTINSKIY, V.V.; HAZARCHUK, O.K.

Observations of Arend-Roland's comet (1956 h) in Kiev. Astron. tsir.
no.183:2-3 J1 '57. (MIRA 11:3)

1. Kiyevskiy gosudarstvennyy universitet, kafedra astronomii.
(Comets--1956)

S/035/61/000/011/020/028
A001/A101

AUTHOR: Nazarchuk, G. K.

TITLE: Accelerations in the tail of the comet 1956 h (Arend-Roland)

PERIODICAL: Referativnyy zhurnal. Astronomiya i Geodeziya, no. 11, 1961, 73, abstract 11A533 ("Visnyk Kyivs'k. un-tu", 1958, no. 1, ser. astron., matem. ta mekhan., no. 2, 153-157, Ukrainian, Russian summary)

TEXT: Accelerations were determined in the tail of the comet 1956 h from the motion of cloudy formations and non-homogeneities in it. Accelerations of particles in the comet tail were determined by A. Ya. Orlov's method on 27 and 30 April and 2 May. The results obtained show that repulsive forces of the order of 1,000 units of solar attraction acted upon the particles in the comet tail. Speeds of the particles in the tail increased with increasing radius-vector. Accelerations of the repulsive force at first increased and then decreased with increasing radius-vector of the particle. A further investigation of this problem has shown that high accelerations of the particles in the comet tail may be caused by the effect of a corpuscular stream at the base of which was a prominence.

Card 1/2

Accelerations in the tail...

S/035/61/000/011/020/028
A001/A101

Identification of the prominence with the position of the comet was carried out by projecting the comet on the Sun's disk. There are 6 references.

Author's summary

[Abstracter's note: Complete translation]

Card 2/2